


353 Series

A07 - Wall to Wall

A09 - Wall to Corner

A24 - Ceiling to Ceiling

A18 - Wall to Ceiling



Movement Rating ± 50 - 100%

Product Guide



Thermal



Interior



Fire Rated
Option



Vapor Barrier
Option



Seismic

- ▶ Flush or surface mounted pan cover plate system for wall and ceiling expansion joint applications.
- ▶ Offered in both: Recessed mount (353 series) and surface (355 series)
- ▶ Ranges from small to extremely wide joint conditions, while maintaining a minimal sightline impact to the interior environment.
- ▶ Pan and frame wings can be anodized, or pre-primed to be painted in field.
- ▶ Pan options include:
 - Flush metal cover plate (pre-primed optional)
 - Gypsum board infill
 - Ceramic tile infill
- ▶ System's sightline can be custom modified to match floor, system coverplate widths (upon request)
- ▶ Heavy duty security magnet system allows for generous daily thermal movement and lateral shear without disengagement from the wall.
- ▶ Cover panel disengages during seismic events; while arrest cables ensures the panel stays close to the wall, ensuring egress routes to be maintained and clear.
- ▶ No exposed hardware for security and cleanliness purposes.
- ▶ System is designed to prevent damage to surrounding walls finishes.
- ▶ System can be customized for ±100% movement

Application	System	W		H1		S		B		Seismic Movement +/-			
		Joint Width		Pan Height		Sightline		Blockout		Horizontal		Vertical	
		US	mm	US	mm	US	mm	US	mm	US	mm	US	mm
Wall to Wall	353-A07/A24-150	6"	152	1/2"	13	1 1/4"	32	3 5/8"	91	3"	76	3"	76
	353-A07/A24-200	8"	203	1/2"	13	1 1/4"	32	4"	102	4"	102	4"	102
	353-A07/A24-250	10"	254	1/2"	13	1 1/4"	32	4 5/8"	116	5"	127	5"	127
	353-A07/A24-300	12"	305	1/2"	13	1 1/4"	32	5 1/8"	130	6"	152	6"	152
	353-A07/A24-400	16"	406	1/2"	13	1 1/4"	32	4 5/8"	116	8"	203	8"	203
	353-A07/A24-450	18"	457	1/2"	13	1 1/4"	32	5 7/8"	123	9"	228	9"	228
	353-A07/A24-500	20"	508	1/2"	13	1 1/4"	32	4 5/8"	117	10"	254	10"	254
353-A07/A24-600	24"	610	1/2"	13	1 1/4"	32	4 5/8"	117	12"	305	12"	305	
Wall To Corner	353-A09/A18-150	6"	152	1/2"	13	1 1/4"	32	3 5/8"	91	3"	76	3"	76
	353-A09/A18-200	8"	203	1/2"	13	1 1/4"	32	4"	102	4"	102	4"	102
	353-A09/A18-250	10"	254	1/2"	13	1 1/4"	32	5"	127	5"	127	5"	127
	353-A09/A18-300	12"	305	1/2"	13	1 1/4"	32	5 1/8"	130	6"	152	6"	152
	353-A09/A18-400	16"	406	1/2"	13	1 1/4"	32	4 5/8"	117	8"	203	8"	203
	353-A09/A18-450	18"	457	1/2"	13	1 1/4"	32	6"	152	9"	228	9"	228
	353-A09/A18-500	20"	508	1/2"	13	1 1/4"	32	4 5/8"	117	10"	254	10"	254
353-A09/A18-600	24"	610	1/2"	13	1 1/4"	32	4 5/8"	117	12"	305	12"	305	

Available in larger widths, please contact Inpro Corporation for more details.

IPC.3105/Rev1


Inprocorp.com • 800.222.5556 • 262.679.9010
 World Headquarters S80 W18766 Apollo Drive, Muskego, WI 53150 USA

JOINTMASTER®
 EXPANSION JOINT SYSTEMS
 A DIVISION OF INPRO®


353 Series

Recessed Mount Wall Systems

353-A07 Wall/Wall, Ceiling/Ceiling (12" (300mm) system shown)



353-A09 Wall/Corner, Ceiling/Wall (12" (300mm) system shown)



353 Series

Options

Fire Blanket System (353-A07-300 system shown)

